

digitaler H264 Triplex Video recorder for max. 4 Video- / Alarm-detection, incl. motion detection, Network

Art. No. 15004 Model VC-DVR4-100-WAN

Type 4-Channel DVR

H264



VDE CE EMC




Technical Details


Triplex function	Recording, Play back, Network access simultaneously
Video level	FBAS 1 VPP/75 Ohm
Fernsehnorm	CCIR, PAL 625 Linien, 50 Bilder
resolution (digital)	6,75 MHz (540 Lines) 720 x 576 Pixel (better than VHS)
Grey steps	8bit 256 Steps
Compression	H264
Pictures/Sec. (Recording)	100 pictures Resolution 352x288, 50 pictures resolution 720x288,
	25 pictures Resolution 720x576
Pictures/Sec. (Live view)	100 pictures Resolution 704x576
Storage groups	Loop- / Alarm storage
Camera Configuration	each channel adjustable
Display /Replay	1, 4-split / 1, 4-split
USB	Support for USB-Mouse, Art.No. 12104, USB-Stick
Network	Integrated 4-channel Web server
Network connection	1 x RJ-45 Ethernet 10/100 MBit
W-LAN	With Adapter Art.No. 11911
Operation	WAN/LAN, Remote controller, IR controller (Art.Nr. 15002)
Data export	via USB-HDD, USB-Stick, CD/DVD with Art.Nr.12065, Download via WLAN/LAN, screen play
Signal /Noise ratio	> 62 dB
Synchronisation	Internal
Programming	locally,or remotely
Alarm inputs / -outputs	4 x / 1 x (close / open)
Alarm history	yes
Alarm information	E-Mail, SMS-message via E-Mail Function, Popup locally, Popup via CMS-Software
Operation temperature	0 ° bis + 40° C
Interference	EN 50081-1, 55011 Klasse B
S-ATA connection (ea max. 2TB)	1x internally
Connections	4 x BNC input, 1 x BNC output, 1 x VGA output (optionally) with Art.No. 15007
Voltage	240V AC
Dim. (W x H x D)	220 x 56 x 325 mm
Weight	1,75 kg
Operation	with controller Art.Nr. 14375, 14381

DVR Art. No. 15004, 15016-DVD, 15016-HDD, 15216 and 15416 can be connected with CMS-Software
The CMS- Software is able to display 64 pictures from any DVR in the system. If the PC -Work station is fitted with 4 monitor outputs, the CMS Software has been booted 4 x, then 256 channels can be accessed.
The CMS Software functions are supported:


- **Replay**
- **Adjustments on the DVR**
- **Live view**
- **MAP function**
- **Local video sequence shot**
- **Local Replay**
- **Single picture storage**
- **Replay and Live view simultaneously**
- **Picture overlay**
- **Alarm Popup**




CMS Software Live View



Ansicht des Lageplans



Web server Recorder configuration



Web server Live viewing

Access via mob Telefon(Symbian) and I-Phone:

Access with the mobile telefon requires the DVR to be connected to the Internet

**Live Access
DVR
Cannel/
Cameras**



**Configuration
Menü via Mob.
Telefon**



**Access
I-Phone**

**Live View
Of-each
Channel
Camera**



The following functions are available
with a mobile telefon

- Live view of each camera/channel
- Replay of a given time
- Configuration DVR
- Alarm call up/replay

- Access with Blackberry possible

with an I-Phone

- Live view each chanael/Camera